

NOTES:
 (1) USE ONLY WHEN SPEED REDUCTION IS 15 MPH OR GREATER BELOW POSTED OR NORMAL SPEED LIMIT.
 (2) USE WHEN DESIGN SPEED IS 30 MPH OR LESS. CONSIDER USING SIGN ④4.
 (3) USE WHEN DESIGN SPEED LIMIT IS GREATER THAN 30 MPH. CONSIDER USING SIGN ④4.
 (4) USE W01-8a CHEVRON ON DIVIDED HIGHWAYS.

FOR DETAILS AND DIMENSIONS, SEE STANDARD PLAN 616.10.

Signs and Devices Legend
 Figure 616



MO4-10R (RIGHT)
MO4-10L (LEFT)

(17)



W020-2

(18)



W020-3

(20)



W021-5b

(21)




W08-9

(22)



W08-9a

(23)



W012-2



W012-2x

(24)



(NORMAL SPEED)
R2-1

(25)




G020-2

(26)



MO4-9R (RIGHT)
MO4-9L (LEFT)

(27)



W012-2



W012-2x

(28)



R11-2

(29)




W012-3a
W012-3b

(30)



W06-3

(31)



W01-4bR (RIGHT)
W01-4bL (LEFT)

(32)



W01-4cR (RIGHT)
W01-4cL (LEFT)

(33)

NOTES:
(5) TYPE B WARNING LIGHTS

FOR DETAILS AND DIMENSIONS, SEE
STANDARD PLAN 616.10.

Signs and Devices Legend

Figure 616



W05-5
(34)



W08-12
(35)




W08-11
(36)



W01-2L (LEFT)
W01-2R (RIGHT)
(37) (3)



W01-1L (LEFT)
W01-1R (RIGHT)
(38) (2)



W03-1a
(39)



W03-2a
(40)



R1-1
(41)



OR



R1-3
(41A) (6)



R4-7a
(42)



W05-1
(43)

BRIDGE
OR
RAMP



W013-1
(44) (7) (8)



W07-3a
(44A) (7)



R4-1
(46)



R4-2
(46A)



R10-6
(47)



OR
LOW CLEARANCE

(48)

NOTES:
(6) ONLY FOR USE WITH STOP SIGN WHEN CONDITION EXISTS. FOR ONE-WAY OR TWO-WAY STOP, A PLATE IS NOT USED.
(7) ONLY USED IN COMBINATION WITH WARNING SIGN.
(8) SHOULD BE USED WHEN THE DESIGN SPEED IS LESS THAN THE POSTED WORK ZONE SPEED.
FOR DETAILS AND DIMENSIONS, SEE STANDARD PLAN 616.10.

Signs and Devices Legend
Figure 616




E05-1

(49)



M04-8a

(52)



CONST -3A

(53)



G023-1


(54)

OR



CONST -3X

(53A)



TEMPORARY RAISED PAVEMENT MARKERS



TUBULAR MARKERS




CHANNELIZERS (9)




DIRECTIONAL INDICATOR BARRICADES

TYPE F TEMPORARY CONCRETE TRAFFIC BARRIER




END TREATMENT



CHANGEABLE MESSAGE SIGN (CMS)



TYPE III MOVABLE BARRICADE



FLASHING ARROW PANEL



FLAGGER

NOTES:
(9) CONES ALLOWABLE FOR DAYLIGHT OPERATIONS ONLY.

FOR DETAILS AND DIMENSIONS, SEE STANDARD PLAN 616.10.

Signs and Devices Legend

Figure 616